## **Claims**

- A composition comprising an effective amount of an active
  ingredient combination composed of
  - (a) at least one substituted thien-3-ylsulfonylamino(thio)carbonyl-triazolin(thi)one of the formula (I)

in which

10

15

20

25

30

R<sup>1</sup> is optionally cyano-, halogen- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-substituted alkyl having 1 to 6 carbon atoms,

 $R^2$ is hydrogen, hydroxyl, mercapto, amino, cyano, fluorine, chlorine, bromine or iodine, is optionally fluorine-, chlorine-, bromine-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkyl-carbonyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonyl-substituted alkyl having 1 to 6 carbon atoms, is in each case optionally fluorine-, chlorine- and/or bromine-substituted alkenyl or alkynyl having in each case 2 to 6 carbon atoms, is in each case optionally fluorine-, chlorine-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonylsubstituted alkoxy, alkylthio, alkylamino or alkylcarbonylamino having in each case 1 to 6 carbon atoms in the alkyl group, is alkenyloxy, alkynyloxy, alkenylthio, alkynylthio, alkenylamino or alkynylamino having in each case 3 to 6 carbon atoms in the alkenyl or alkynyl group, is dialkylamino having in each case 1 to 4 carbon atoms in the alkyl groups, is in each case optionally methyland/or ethyl-substituted aziridino. pyrrolidino, piperidino or morpholino, is in each case optionally fluorine-, chlorine-, bromine-, cyano- and/or C1-C45

10

15

20

25

30

cycloalkenyl, cycloalkyloxy, cycloalkyl, alkyl-substituted cycloalkylthio, cycloalkylamino, cycloalkylalkyl, cycloalkylalkoxy, cycloalkylalkylthio or cycloalkylalkylamino having in each case 3 to 6 carbon atoms in the cycloalkyl or cycloalkenyl group and optionally 1 to 4 carbon atoms in the alkyl moiety, or is in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, trifluoromethyl-, C<sub>1</sub>-C<sub>4</sub>-C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonyl-substituted and/or alkoxyarylalkyl, aryloxy, arylalkoxy, arylthio, arylalkylthio, arylamino or arylalkylamino having in each case 6 or 10 carbon atoms in the aryl group and optionally 1 to 4 carbon atoms in the alkyl moiety,

 $R^3$ 

cyano, is C2-C10amino, hydroxyl, hydrogen, is alkylideneamino, is optionally fluorine-, chlorine-, bromine-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkyl-carbonyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxycarbonyl-substituted alkyl having 1 to 6 carbon atoms, is in each case optionally fluorine-, chlorine- and/or brominesubstituted alkenyl or alkynyl having in each case 2 to 6 carbon atoms, is in each case optionally fluorine-, chlorine-, bromine-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-carbonylsubstituted alkoxy, alkylamino or alkyl-carbonylamino having in each case 1 to 6 carbon atoms in the alkyl group, is alkenyloxy having 3 to 6 carbon atoms, is dialkylamino having in each case 1 to 4 carbon atoms in the alkyl groups, is in each case optionally fluorine-, chlorine-, bromine-, cyanoand/or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted cycloalkyl, cycloalkylamino or cycloalkylalkyl having in each case 3 to 6 carbon atoms in the alkyl group and optionally 1 to 4 carbon atoms in the alkyl moiety, or is in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C1-C4-alkyl-, trifluoromethyl- and/or C<sub>1</sub>-C<sub>4</sub>-alkoxy-substitued aryl or arylalkyl having in each case 6 or 10 carbon atoms in the aryl group and optionally 1 to 4 carbon atoms in the alkyl moiety

35

- or salts of the compounds of the formula (I) -

("active ingredients of group 1")

and

5

10

(b) one or more compounds from a second group of herbicides which includes the following active ingredients:

, and

("active ingredients of group 2"),

- and, if desired, additionally
- (c) a crop plant tolerance promoter compound from the following group of compounds:

15

10

5

5

10

15

20

25

4-dichloroacetyl-1-oxa-4-azaspiro[4.5]decane (AD-67),4dichloroacetyl-3,4-dihydro-3-methyl-2H-1,4-benzoxazine acid 1-5-chloroquinoxalin-8-oxyacetic (benoxacor), 2,4-(cloquintocet-mexyl), ester methylhexyl dichlorophenoxyacetic acid (2,4-D), 2,2-dichloro-N,N-di-2propenylacetamide (dichlormid), N-(4-methylphenyl)-N'-(1-(daimuron), 4,6-dichloro-2methyl-1-phenylethyl)urea 1-(2,4-dichlorophenyl)-5-(fenclorim), phenylpyrimidine trichloromethyl-1H-1,2,4-triazole-3-carboxylic acid ethyl ester 2-chloro-4-trifluoromethylthiazole-5-(fenchlorazole-ethyl), carboxylic acid phenylmethyl ester (flurazole), 4-chloro-N- $(1,3-dioxolan-2-ylmethoxy)-\alpha-trifluoroacetophenone$ 3-dichloroacetyl-5-(2-furanyl)-2,2-dimethyl-(fluxofenim), ethyl 4,5-dihydro-5,5-diphenyl-3-(furilazole), oxazolidine (4-chloro-2-(isoxadifen-ethyl), isoxazolecarboxylate (MCPA). (+-)-2-(4-chloro-2acid methylphenoxy)acetic methylphenoxy)propanoic acid (mecoprop), diethyl 1-(2,4dichlorophenyl)-4,5-dihydro-5-methyl-1H-pyrazole-3,5-dicarboxylate (mefenpyr-diethyl), 2-dichloromethyl-2-methyl-1,3dioxolane (MG-191, CAS Reg. No. 96420-72-3), 1,8anhydride.  $\alpha$ -(1,3-dioxolan-2-ylmethoximino)naphthalic phenylacetonitrile (oxabetrinil), 2,2-dichloro-N-(1,3-dioxolan-3-2-ylmethyl)-N-(2-propenyl)acetamide (PPG-1292), dichloroacetyl-2,2,5-trimethyloxazolidine (R-29148), Ncyclopropyl-4-[[(2-methoxy-5-methylbenzoyl)amino]sulfonyl]-N-[[(4-methylaminocarbonylamino)phenyl]benzamide, sulfonyl-2-methoxybenzamide, and compounds of the formula (II) below,

$$\begin{array}{c|c} R^{21} \\ H \\ O \end{array} \qquad \begin{array}{c} SO_2 \\ H \\ \end{array} \qquad \begin{array}{c} O \\ H \\ \end{array} \qquad \begin{array}{c} (II) \\ \end{array}$$

in which

R<sup>21</sup> and R<sup>22</sup> are as defined in the following table:

30

## WO 2005/087004

32	
R <sup>21</sup>	R <sup>22</sup>
cyclopropyl	2-OCH₃
cyclopropyl	2-OCH <sub>3</sub> , 5-Cl
ethyl	2-OCH₃
isopropyl	2-OCH <sub>3</sub> , 5-Cl
isopropyl	2-OCH₃

("active ingredients of group 3").

- 2. The composition as claimed in claim 1, wherein the crop plant tolerance promoter compound (active ingredient of group 3) is selected from the active ingredients benoxacor, mefenpyr-diethyl, fenchlorazole-ethyl, isoxadifen-ethyl, cloquintocet-mexyl, and the compound N-cyclopropyl-4-[[(2-methoxybenzoyl)amino]sulfonyl]-benzamide.
- The use of a composition as claimed in claim 1 for controlling unwanted plants.
- 4. A method of controlling unwanted plants which comprises causing a composition as claimed in claim 1 to act on the weeds and/or their habitat.
- 5. A process for producing a herbicidal composition, which comprises mixing a composition as claimed in claim 1 with surface-active agents and/or extenders.